



ZPMV2.E200612 Wiring, Printed - Component

Enhanced searching capability for this category can be found in UL's iQ Family of Databases (iq.ul.com).

[Page Bottom](#)

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

FAST PCB S L


E200612

C/GABIRIA 72

20305 IRUN, SPAIN

Type	Cond Width			SS/ DS	Max	Solder		Max	Flame Class	Meets	C
	Min	Edge	Thk		Area	Limits	Oper	UL796		T	
	mm(in)	mm(in)	mic(mil)		Diam	C	Temp	DSR		I	
					mm(in)	sec	C				
Single layer printed wiring boards.											
ALF	0.127 (0.005)	0.127 (0.005)	16.5 (0.65)	DS	50.8 (2.0)	275	10	120	V-0	All	3
FAST	0.13 (0.005)	0.38 (0.015)	16.5 (0.65)	DS	12.7 (0.5)	260	10	130	V-0	All	3



Marking: Company name or trademark  and type designation. May be followed by a suffix to denote factory identification.

Last Updated on 2009-04-01

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2009 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

